

Please enter the following amendment:

IN THE CLAIMS:

1. (currently amended) A composition comprising:

one or more antimicrobial agents that alone or in combination have antibacterial and antifungal properties selected from the group of Polymyxin B Sulfate, Bacitracin Zinc, and 8—Hydroxyquinoline Sulfate;

a vasoconstriction agent in the form of Phenylephrine HCL;

a steroidal anti-inflammatory in the form of micronized Hydrocortisone;

a skin disinfectant agent in the form of Povidone-Iodine;

a demulcent agent in the form of tincture of Benzoin;

a stimulant in the form of Ichthammol;

a carrier in the form of a base ointment including anhydrous lanolin and white petrolatum.

2. (cancelled)

3. (currently amended) The composition of claim 2 1 wherein said antimicrobial agents comprise substantially 25.3 percent by weight of the composition.

4. (cancelled)

5. (currently amended) The composition of claim 4 1 wherein said vasoconstriction agent

comprises substantially 0.25 percent by weight of said composition.

6. (cancelled)

7. (currently amended) The composition of claim ~~6~~ 1 wherein steroidal anti-inflammatory comprises substantially 1 percent by weight of said composition.

8. (cancelled)

9. (currently amended) The composition of claim ~~8~~ 1 wherein said stimulant comprises substantially 6.25 percent by weight of said composition.

10–11. (cancelled)

12. (currently amended) The composition of claim ~~11~~ 1 wherein said skin disinfectant agent comprises substantially 12.8 percent by weight of said composition.

13–14. (cancelled)

15. (currently amended) The composition of claim ~~14~~ 1 wherein said demulcent agent comprises substantially 11.7 percent by weight of said composition.

Serial No.: 10/761,837

Filed: Jan. 20, 2004

16–17. (cancelled)

18. (original) A composition comprising the formulation by weight:

Component	Percentage by Weight
Base Ointment	42.70
Polymyxin B Sulfate and Bacitracin Zinc in a ratio of 20 parts Polymyxin B Sulfate to 1 part Bacitracin Zinc	25.00
8—Hydroxyquinoline Sulfate 0.3%	0.30
Benzoin Tincture	11.70
Ichthammol	6.25
Hydrocortisone (micronized)	1.00
Phenylephrine HCL 0.25%	0.25
Povidone-Iodine 10% solution	12.80

19. (original) The composition of claim 18 wherein said base ointment is a mixture including anhydrous lanolin and white petrolatum.

20. (original) A process for manufacturing a composition comprising:

mixing a base ointment, said base ointment comprising substantially one part anhydrous lanolin to three parts white petrolatum;

combining substantially 12.8% by weight Povidone-Iodine 10% solution, substantially 11.7% by weight tincture of Benzoin in liquid form, and substantially 6.25% by weight Ichthammol in liquid form with said base ointment and mixing; and

Serial No.: 10/761,837
Filed: Jan. 20, 2004

combining substantially 25% by weight Polymyxin B Sulfate and Bacitracin Zinc in a ratio of 20 parts Polymyxin B Sulfate to 1 part Bacitracin Zinc, substantially 0.3% by weight 8—Hydroxyquinoline Sulfate 0.3%, substantially 1% by weight Hydrocortisone (micronized), and substantially 0.25% by weight Phenylephrine HCL 0.25% and adding to said mixture of base ointment and Povidone-Iodine, tincture of Benzoin, and Ichthammol.

21. (original) A product made according to the process of claim 20.